Material Safety Data Sheet

MSDS Report

MSDS 报告

Applicant's name 委托方名称	Shenzhen Mitacbattery technology Co., LTD. 深圳市神通天下科技有限公司
Applicant's Address 委托方地址	5 Floor 1 Building, No. 47, Kengwei Avenue, Shangwu Community, Shiyan Street, Baoan District, Shenzhen, Guangdong, P.R. China 深圳市宝安区石岩街道上屋社区坑尾大道 47 号 1 栋 5 层
Name of Sample 样品名称	Lithium Polymer Battery 锂聚合物电池
Model 型号	351423
Nominal Voltage 标称电压	3.7V
Rated Capacity 额定容量	90mAh, 0.333Wh
Weight 重量	2.0g
Size 尺寸 (L×W×T)	(23.6×13.3×3.4)mm
Prepared By 编制单位	Shenzhen TCT Testing Technology Co., Ltd. 深圳市通测检测技术有限公司 2101 & 2201, Zhenchang Factory, Renshan Industrial Zone, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China 广东省深圳市宝安区福海街道桥头社区稔山工业区振昌胶粘制品厂 2101、 2201
Report No.	TCT240111M040
/ritten by 编写: <u>Mollie</u>	wu 美林谷 Approved by 批准: <u>Tomsin 汤该其</u> Zang 常い Effective Date 生效日期: <u>2024.01.12</u>
nspected by 审核:	

Material Safety Data Sheet 化学品安全技术说明书

TCT 通测检测 TESTING CENTRE TECHNOLOGY

Name of Sample 样品名称 Manufacturer's nam 生产单位名称 Manufacturer's Address 生产单位地址 Tel 电话 Emergency Tel 应急电话 E-mail 邮箱 Section 2- Hazard 第二部分 危险性 定 Classification of Danger 危险性类别 Primary Route(s) of Exposure 浸入途径	深圳市神通天下科技有限公司 深圳市神通天下科技有限公司 5 Floor 1 Building, No. 47, Street, Baoan District, Shen 深圳市宝安区石岩街道上屋 +86-755-29163899 +86-755-29163899 1414615359@qq.com See section 14. 见第十四部分。	ा Kengwei Avenue, Shan zhen, Guangdong, P.R.	China
<u>生产単位名称</u> Manufacturer's Address <u>生产単位地址</u> Tel 电话 Emergency Tel 应急电话 E-mail 邮箱 Section 2- Hazard 第二部分 危险性 Classification of Danger 危险性类别 Primary Route(s) of Exposure	深圳市神通天下科技有限公司 深圳市神通天下科技有限公司 5 Floor 1 Building, No. 47, Street, Baoan District, Shen 深圳市宝安区石岩街道上屋 +86-755-29163899 +86-755-29163899 1414615359@qq.com See section 14. 见第十四部分。	ा Kengwei Avenue, Shan zhen, Guangdong, P.R.	China
Address 生产单位地址 Tel 电话 Emergency Tel 应急电话 E-mail 邮箱 Section 2- Hazard 第二部分 危险性 Classification of Danger 危险性类别 Primary Route(s) of Exposure	Street, Baoan District, Shen 深圳市宝安区石岩街道上屋 +86-755-29163899 +86-755-29163899 1414615359@qq.com Ste section 14. 见第十四部分。	zhen, Guangdong, P.R.	China
电话 Emergency Tel 应急电话 E-mail 邮箱 Section 2- Hazard 第二部分 危险性 Classification of Danger 危险性类别 Primary Route(s) of Exposure	+86-755-29163899 1414615359@qq.com ds Identification 概述 See section 14. 见第十四部分。		(č) ()
应急电话 E-mail 邮箱 Section 2- Hazard 第二部分 危险性 Classification of Danger 危险性类别 Primary Route(s) of Exposure	1414615359@qq.com ds Identification 概述 See section 14. 见第十四部分。		
<i>邮箱</i> Section 2- Hazard 第二部分 危险性 Classification of Danger 危险性类别 Primary Route(s) of Exposure	ds Identification 概述 See section 14. 见第十四部分。		ý) (
第二部分 危险性 Classification of Danger 危险性类别 Primary Route(s) of Exposure	既述 See section 14. 见第十四部分。		
of Exposure	Eve skip contact indection		
Primary Route(s) of Exposure	Eve skip contact increation		
	Eye, skin contact, ingestion.		
(C)	眼睛,皮肤接触,摄入。		
Health Hazard	The batteries are not hazardous manufacturer under normal cond fire, heat, leakage of internal com including but not limited to the fol put into fire, whacked with hard o	itions. In case of abuse, aponents, which could ca lowing cases: charged fo	there's Hazard of rupture, ause casualty loss. Abuses or long time, short circuited
健康危害	broken. 正常条件下根据制造商的说明使用 起火、发烫、内部成分泄漏的危险 限于下列情况:长时间充电、短路	2,并可能造成意外损失	。使用不当的行为包括但不

Report No. TCT240111M040 Hotline: 400-6611-140

E-mail: service@tct-lab.com

Page 2 of 10 http://www.tct-lab.com

Section 3- Con 第三部分成分		ionnation of	n ingredients	
Chemical Name 化学名称		Concentration concentration 浓度或浓度范	n ranges (%)	CAS Number CAS 号(化学文摘索引登记号)
Lithium Cobalt Oxide 钴酸锂)	15-40	Ś	12190-79-3
Graphite 石墨		10-30		7782-42-5
Phosphate(1-), hexat 六氟磷酸锂	fluoro-, lithium	10-30	<u>(</u>)	21324-40-3
Copper 铜		7-13		7440-50-8
Aluminum foil 铝箔		5-10	K)	7429-90-5
Nickel		1-5		7440-02-0
Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打	phrase are requi 短语。 Chemical Abstract		lumber.	
镍 Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打 N/A=Not apply. N / A =不适用。	phrase are requi 短语。 Chemical Abstract		lumber.	
Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打 N/A=Not apply.	phrase are requi 短语。 Chemical Abstract 商服务注册号码。 t Aid Measu	Service Registry N	lumber.	
Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打 N/A=Not apply. N/A=不适用。 Section 4- First	phrase are requi 短语。 Chemical Abstract 商服务注册号码。 t Aid Measu 措施 Flush eyes and lower e	Service Registry N JTES with plenty of wa eyelids. Get medi 立即用大量的清z	ter for at least 15 cal aid.	minutes, occasionally lifting the upper 中,翻起上下眼睑,直到化学的残留物
Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打 N/A=Not apply. N/A=不适用。 Section 4- First 第四部分 急救 Eye	phrase are requi 短语。 Chemical Abstract 商服务注册号码。 t Aid Measu 措施 Flush eyes and lower e 万一接触, 消失为止, Remove co minutes. G	Service Registry N JICES with plenty of wa eyelids. Get medi 立即用大量的清z 迅速就医。 ontaminated cloth et medical aid.	ter for at least 15 cal aid. k冲洗至少 15 分转 es and rinse skin	
Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打 N/A=Not apply. N / A = 不适用。 Section 4- First 第四部分 急救 Eye 眼睛	phrase are requi 短语。 Chemical Abstract 商服务注册号码。 t Aid Measu 措施 Flush eyes and lower e 万一接触, 消失为止, Remove co minutes. G 万一接触,	Service Registry N JIES with plenty of wa eyelids. Get media 立即用大量的清z 迅速就医。 ontaminated cloth et medical aid. 用大量水冲洗至2	tter for at least 15 cal aid. tk冲洗至少 15 分年 es and rinse skin ▷ 15 分钟,同时降 move to fresh air	中,翻起上下眼睑,直到化学的残留物 with plenty of water or shower for 15
Labeling according to E 标签根据 EC 指令。 No symbol and Hazard 不需要象形符号和危险; Note: CAS number is C 注意: CAS 号是化学文打 N/A=Not apply. N / A =不适用。 Section 4- First 第四部分 急救 度度 服睛	phrase are requi 短语。 chemical Abstract 商服务注册号码。 t Aid Measu 措施 Flush eyes and lower of 万一接触, 消失为止, Remove co minutes. G 万一接触, Remove fro 立即从暴露	Service Registry N JIES with plenty of wa eyelids. Get media 立即用大量的清加 迅速就医。 ontaminated cloth et medical aid. 用大量水冲洗至少 om exposure and 处移至空气清新好 amaged batteries ention immediate	tter for at least 15 cal aid. 水冲洗至少 15 分钟 es and rinse skin ▶ 15 分钟,同时附 move to fresh air む,如果呼吸困难 s, do not induce ve	中,翻起上下眼睑,直到化学的残留物 with plenty of water or shower for 15 余去污染的衣物和鞋子,迅速就医。 immediately. Use oxygen if available.

	CENTRE TECHNOLOGY		Material Safety Data Sheet
Section 5- Fire F	ighting Measures		•
第五部分 消防措	0 0		
Characteristics of Hazard 危险特性	Dusts at sufficient concent generates toxic fumes. 高密度粉尘遇空气会形成爆		ive mixtures with air. Combustion 有毒烟雾。
Hazardous Combustion Products 燃烧产生的危险物 品	Carbon dioxide. 二氧化碳。		
Fire-extinguishing Methods and Extinguishing Media 灰火方法及灭火剂	For small fires, use water s 对于小型火险,可使用水枪		oon dioxide or chemical foam. 氧化碳)或化学泡沫。
Attention in Fire-extinguishing 灰火注意事项	(approved or equivalent) a	nd full protective gear.	ure-demand, MSHA/NIOSH SHA/NIOSH(经认证或等效的),
) ()	(\dot{O})	(0)	
第六部分 泄露应	ental Release Measu 急处理		ttention! Corrosive material.
Personal Precaution equipment, and em 个人预防措施、防护	ergency procedures	Avoid contact with sl adequate ventilation equipment as require areas. Keep people spill/leak. Refer to pr Sections 7 and 8. 万一破裂。注意! 腐 衣服。确保空气流通 人员撤离到安全区域	kin, eyes and clothing. Ensure . Use personal protective ed. Evacuate personnel to safe away from and upwind of rotective measures listed in 蚀性物质。避免接触皮肤,眼睛或 。根据需要使用个人防护装备。将 。让人们远离溢出/泄漏处和处于 和第八部分中列出的防护措施。
Environmental Prec 环境保护措施	cautions	Prevent product from entering sewers or w 防止产品污染土壤和	
Methods and mater 方法和材料控制	ials for Containment	liquid with dry sand of immediately.	to do so. Contain the spilled or earth. Clean up spills ,可以用干砂或泥土来遏制液体溢 。
Methods and mater 清理的方法和材料	ials for cleaning up	Absorb spilled mater sand or earth). Scoo an acceptable waste contaminated absort directions in Section detergent and water; water for proper disp 用惰性吸收剂(干砂 移到可接受的废物容	ial with an inert absorbent (dry p contaminated absorbent into container. Collect all bent and dispose of according to 13. Scrub the area with ; collect all contaminated wash

Continue 7. Lloudliner and	Charage	Material Safety Data Shee
Section 7- Handling and 第七部分 操作处置与储	•	
Handling 操作		The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity. 拆解、挤压、直接放入火中或高温条件下,电池可能发 生爆炸和燃烧。禁止短路或将电池正负极错误的安装在 设备中。
Storage 储存		Store in a cool, dry, well-ventilated area away from incompatible substances. Store locked up. Keep out of the reach of children. 储藏于阴凉, 干燥, 通风处, 远离接触会发生反应的材 料。存储锁定。放在儿童无法接触的地方。
Other Precautions 其他要注意的防范措施		In case of rupture. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection equipment. 万一破裂。按照良好的工业卫生和安全规范进行操作。 避免接触皮肤,眼睛或衣服。使用个人防护设备。
Section 8 - Exposure Co 第八部分 接触控制和个		al Protection
Engineering Controls 工程控制		Use adequate ventilation to keep airborne concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m ³ respirable fraction (10mg/m ³ total) should be observed. 保证空气流通使空气密度保持在低水平。如果在会生成 微粒的情况下使用,应仔细观察 3mg/m ³ ACGIH TLV-TWA 3 的吸入量(总量为 10mg/m ³)。
Engineering Controls 工程控制		 concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m³ respirable fraction (10mg/m³ total) should be observed. 保证空气流通使空气密度保持在低水平。如果在会生成 微粒的情况下使用,应仔细观察 3mg/m³ ACGIH TLV-TWA 3 的吸入量(总量为 10mg/m³)。 Eye and Face Protection: None required for consumer use. If there is a Hazard of contact: Tight sealing safety goggles. Face protection shield. 眼睛和脸部保护: 消费者无需使用。如果有接触危险: 密封安全护目镜。面部防护罩。 Skin and Body Protection: None required for consumer use. If there is a Hazard of contact: Wear protective gloves and protective clothing.
Engineering Controls 工程控制		 concentrations low. If used under conditions that generate particulates, the ACGIH TLV-TWA of 3mg/m³ respirable fraction (10mg/m³ total) should be observed. 保证空气流通使空气密度保持在低水平。如果在会生成 微粒的情况下使用,应仔细观察 3mg/m³ ACGIH TLV-TWA 3 的吸入量(总量为 10mg/m³)。 Eye and Face Protection: None required for consumer use. If there is a Hazard of contact: Tight sealing safety goggles. Face protection shield. 眼睛和脸部保护: 消费者无需使用。如果有接触危险:密封安全护目镜。面部防护罩。 Skin and Body Protection: None required for consumer use. If there is a Hazard of contact: Wear

Hotline: 400-6611-140

E-mail: service@tct-lab.com

Page 5 of 10 http://www.tct-lab.com

TCT 通	〔 测检测		
TESTI	NG CENTRE TECHNOLOGY		Material Safety Data Sheet
Section 9- Phys 第九部分 理化物	sical and Chemical Pro 時性	perties	
2	Appearance: Prismatic 外形: 棱柱形		
Physical State 物理状态	Color: Silver 颜色: 银色	(d)	
	Odour: If leaking, smells of n 气味:泄漏时,医用乙醚的 ^全		
Change in conditio 变化的条件:	on:	3	
pH 酸碱度	Not applicable as supplied. 不适用。		
Flash Point 闪点	Not applicable unless individ 除非单个的组件暴露,否则不		
Flammability 易燃度	Not applicable unless individ 除非单个的组件暴露,否则不		
Relative density: 相对密度	Not applicable unless individ 除非单个的组件暴露,否则不		
Solubility (water) 溶解性(水溶性)	Not applicable unless individ 除非单个的组件暴露,否则不		
Solubility (other) 溶解性(其他)	Not applicable unless individ 除非单个的组件暴露,否则不		
í.			
Section 10 – Staff 第十部分 稳定	ability and Reactivity 生和反应性		
Chemical Stability		Stable under recomme	nded storage conditions.

Chemical Stability	Stable under recommended storage conditions.
化学稳定性	在推荐的储存条件下可以保持稳定。
Possibility of Hazardous Reactions	None under normal processing.
危险反应的可能性	正常处理下没有。
Conditions to Avoid	Exposure to air or moisture over prolonged periods.
应避免的条件	暴露在空气中或长时间受潮。
Incompatible materials	Acids, Oxidizing agents, Bases.
不相容材料	酸,氧化剂,碱。
Hazardous Decomposition Products	Carbon oxides.
有危害分解物	二氧化碳。

Report No. TCT240111M040 Hotline: 400-6611-140

E-mail: service@tct-lab.com

Page 6 of 10 http://www.tct-lab.com

第十一部分 毒理学信息 Irritation 刺激	In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下,蒸汽烟雾可能对眼睛和皮肤的刺激性。
Sensitization 致敏	Not Available. 不适用。
Reproductive Toxicity 再生毒性	Not Available. 不适用。
Toxicologically Synergistic Mate 协同材料毒理学	Ils Not Available. 不适用。
Section 12-Ecological Infor 第十二部分 生态学信息	ation
General note: 通用信息 :	Do not allow undiluted product or large quantities of to reach ground water, water course or sewage system. 不允许未稀释或大量的产品接触地下水、水道或污水处理系统。
Anticipated behavior of a chem in environment/possible enviror impact/ ecotoxicity 化学产品在环境/可能的环境预;	Antal 不适用。
种生态毒性	
Section 13 – Disposal Cons 第十三部分 废弃处置 Waste Treatment	erations Recycle or dispose of in accordance with government, state & local regulations.
<i>废弃处置方法</i>	建议遵照国家和地方法规处置或再利用。
Attention for Waste Treatment 废弃注意事项	Deserted batteries shouldn't be treated as ordinary trash. Shouldn't be thrown into fire or placed in high temperature. Shouldn't be dissected, pierced, crushed or treated similarly. Best disposal method is recycling. 废电池不能被当作普通垃圾。不能扔进火中或置于高 温下。不能解体,刺穿,破碎或类似的处理。最好的 处理办法是回收利用。

第十四部分 运输信息 UN number			
联合国货物编号(UN 编号)	3480 & 3481		
	Lithium ion batteries (inclu 锂离子电池(包括锂离子聚	合物电池)或;	(\mathcal{C})
Proper shipping name	Lithium ion batteries packer polymer batteries) or;		-
运输专用名称	与设备一起包装的锂离子电 Lithium ion batteries conta		
	polymer batteries). 包含在设备中的锂离子电池		
UN Classification (Transport hazard class): UN 分类(运输危险类别):	Class 9 (PI965 Section IB) 9 类 (包装说明 965 第 IB 部		
PG Packing Group:	N/A		
PG 包装等级:	不适用	(é	
Marine pollutant(Y/N):	N		
海洋污染物(Y/N):			
IMDG EmS No.:	F-A, S-I		
IMDG EmS 编号:			
Special precautions which a connection with transport or c 无论是对内还是对外的运输或	onveyance either within	or outside their p	premises.
Special precautions which a c connection with transport or c 无论是对内还是对外的运输或 ICAO / IATA: 国际民间航空组织/国际航空	onveyance either within 运输方式,用户都需要 Can be shipped by air in a Organization (ICAO), TI or (IATA), DGR Packing Instr appropriate of IATA DGR (n or outside their p 注意或遵守的特殊 ccordance with Inter International Air Tra Fuction 965 Section II 65 th (2024 Edition) fo	oremises. 预防措施。 national Civil Aviation nsport Association B, 966~967 Section II or transportation.
Special precautions which a c connection with transport or o 无论是对内还是对外的运输或 ICAO / IATA:	onveyance either within 运输方式,用户都需要 Can be shipped by air in a Organization (ICAO), TI or (IATA), DGR Packing Instr	or outside their p 注意或遵守的特殊 ccordance with Intern International Air Tra ruction 965 Section II 65 th (2024 Edition) fo ICAO), TI 或国际航	<i>Dremises. 预防措施。</i> national Civil Aviation nsport Association B, 966~967 Section II r transportation. 空运输协会 (IATA), DGI
Special precautions which a c connection with transport or c 无论是对内还是对外的运输或 ICAO / IATA: 国际民间航空组织/国际航空	<i>isonveyance either within</i> 运输方式,用户都需要 Can be shipped by air in a Organization (ICAO), TI or (IATA), DGR Packing Instr appropriate of IATA DGR 货物可根据民用航空组织(65 th (2024 版) 包装说明 9	or outside their p 注意或遵守的特殊 ccordance with Intern International Air Tra ruction 965 Section II 65 th (2024 Edition) fo ICAO), TI 或国际航 965 Section IB, 966	Dremises. 预防措施。 national Civil Aviation nsport Association B, 966~967 Section II r transportation. 空运输协会(IATA), DGF ~967 Section II 相关规定
Special precautions which a connection with transport or of 无论是对内还是对外的运输或 ICAO / IATA: 国际民间航空组织/国际航空 运输协会:	onveyance either within 运输方式,用户都需要 Can be shipped by air in a Organization (ICAO), TI or (IATA), DGR Packing Instr appropriate of IATA DGR 货物可根据民用航空组织(65 th (2024 版)包装说明 进行空运。 The batteries are not restri	or outside their p 注意或遵守的特殊 ccordance with Intern International Air Tra ruction 965 Section II 65 th (2024 Edition) fo ICAO), TI 或国际航 965 Section IB, 966 icted to IMDG Code a al provision 188.	Dremises. 预防措施。 national Civil Aviation Insport Association B, 966~967 Section II In transportation. 空运输协会 (IATA), DGF ~967 Section II 相关规定 2022 Edition (Amdt

Material Safety Data Sheet

ADR/ ADN:

欧洲国际陆运危险货物协定/ 关于内陆水道国际运输危险 货物的欧洲协定: The batteries are not subject to the provisions of United Nations Economic Commission for Europe (UNECE) ADR/ADN if they meet the requirements of special provision 188 of Chapter 3.3. Applicable as from 1 January 2023.

自 2023 年 1 月 1 日起适用于联合国欧洲经济委员会(UNECE) ADR / ADN,如果电池符合第 3.3 章第 188 条的特殊要求,则电池不受限制。

In addition, to be permitted in transport each lithium cell and battery types must have passed the applicable tests set out in Subsection 38.3 of the UN Manual of Tests and Criteria.

此外,每个锂电芯和电池类型都必须通过联合国《关于危险货物运输的建议书试验和标准手册》第38.3节规定的适用测试。

Section 15 – Regulatory Information

第十五部分 法规信息

Dangerous Goods Regulations

《危险物品规则》

Recommendations on the Transport of Dangerous Goods-Model Regulations

联合国《关于危险货物运输的建议书 规章范本》

Recommendations on the Transport of Dangerous Goods-Manual of Tests and Criteria

联合国《关于危险货物运输的建议书 试验和标准手册》

International Air Transport Association (IATA)

《国际航空运输协会》(IATA)

International Maritime Dangerous Goods

《国际海运危险货物规则》

Technical Instructions for the Safe Transport of Dangerous Goods

《危险货物安全运输技术指南》

Classification and code of dangerous goods

《危险货物分类和品名编号》

OSHA Hazard Communication Standard

《职业安全与健康标准》危险通信标准

Toxic Substance Control Act (TSCA)

《有毒物质控制法》 (TSCA)

Code of Federal Regulations

《联邦条例》

In accordance with all Federal, State and local laws

符合所有联邦、州和地方法律

Report No. TCT240111M040 Hotline: 400-6611-140

E-mail: service@tct-lab.com

Page 9 of 10 http://www.tct-lab.com



E-mail: service@tct-lab.com

http://www.tct-lab.com